



MASTER A & B — Drain to Waste Heavy Feeding Schedule (10 -week Bloom)

USEFUL CONVERSIONS

- 1 teaspoon = 5 ml
- 1 Tablespoon = 15 ml
- 1 ounce = 30 ml
- 1 quart = 946 ml
- 1 gallon = 3.785 L
- 1 gallon = 128 ounces

*1 teaspoon (powder) = 2 1/3 grams (approx.)

	Grow Week 1	Grow Week 2	Grow Week 3	Grow Week 4	Bloom Week 1	Bloom Week 2	Bloom Week 3	Bloom Week 4	Bloom Week 5	Bloom Week 6	Bloom Week 7	Bloom Week 8	Bloom Week 9	Bloom Week 10
MASTER A	2ml ▶▶ gal	3ml ▶▶ gal	4ml ▶▶ gal	4ml ▶▶ gal	5ml ▶▶ gal	6ml ▶▶ gal	7ml ▶▶ gal	8ml ▶▶ gal	8ml ▶▶ gal	10ml ▶▶ gal	11ml ▶▶ gal	9ml ▶▶ gal	8ml ▶▶ gal	Flush
MASTER B	2ml ▶▶ gal	3ml ▶▶ gal	4ml ▶▶ gal	4ml ▶▶ gal	5ml ▶▶ gal	6ml ▶▶ gal	7ml ▶▶ gal	8ml ▶▶ gal	8ml ▶▶ gal	10ml ▶▶ gal	11ml ▶▶ gal	9ml ▶▶ gal	8ml ▶▶ gal	Flush
VERDE	2ml ▶▶ gal	3ml ▶▶ gal	4ml ▶▶ gal	4ml ▶▶ gal	4ml ▶▶ gal	3ml ▶▶ gal	2ml ▶▶ gal							Flush
MAYAN MICROZYME	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	3ml ▶▶ gal	2ml ▶▶ gal								Flush
SEA CAL	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal		3ml ▶▶ gal		3ml ▶▶ gal	3ml ▶▶ gal					Flush
SEA MAG					3ml ▶▶ gal		3ml ▶▶ gal			2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	Flush
GINORMOUS						2ml ▶▶ gal	2ml ▶▶ gal	3ml ▶▶ gal	3ml ▶▶ gal					Flush
FLAVORFUL	1ml ▶▶ gal	1ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	Flush
HUM-BOLT	1ml ▶▶ gal	1ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	Flush
BIG UP POWDER					1/2tsp ▶▶					2tsp ▶▶ gal	1sp ▶▶ gal	1sp ▶▶ gal	1tsp ▶▶ gal	Flush
HUMBOLDT HONEY ES					2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	15ml ▶▶ gal	15ml ▶▶ gal	15ml ▶▶ gal	15ml ▶▶ gal	15ml ▶▶ gal
PROZYME	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	5ml ▶▶ gal	10ml ▶▶	10ml ▶▶	15ml ▶▶ gal	15ml ▶▶	15ml ▶▶	20ml ▶▶ gal	20ml ▶▶ gal	10ml ▶▶ gal	10ml ▶▶ gal	Flush
HUMBOLDT ROOTS	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal	2ml ▶▶ gal							Flush
MYCOMADNESS	1/2tsp ▶▶	1/2tsp ▶▶	1/2tsp ▶▶	1/2tsp ▶▶	1/2tsp ▶▶	1/2tsp ▶▶								Flush
PPM	500	640	750	750	825	1100	1250	1475	1475	1700	1800	1400	1250	Flush

Always use un-chlorinated water, maintain pH levels between 5.5-7.2 and check reservoir after adding all nutrients. Due to our use of multiple chelating agents in our formulas, the elements within our products can be absorbed by plants in a wider range of pH levels.

Oxygenate water before and during application. To prevent nutrient settling, always use a pump at the bottom of the reservoir to continually agitate and mix the nutrient water during application. Research and Development conducted using water obtained by reverse osmosis containing near 0 PPM.

When using re-circulating (ebb&flow) systems, please refer to our website for feeding schedules specific to that application.

