

MASTER A & B – Drain to Waste Heavy Feeding Schedule (9 -week Bloom)



USEFUL CONVERSIONS

1 teaspoon	=	5 ml
1 Tablespoon	=	15 ml
1 ounce	=	30 ml
1 quart	=	946 ml
1 gallon	=	3.785 L
1 gallon	=	128 ounces

*1 teaspoon (powder) = 2 1/3 grams (approx.)

	Grow Week 1	Grow Week 2	Grow Week 3	Grow Week 4	Bloom Week 1	Bloom Week 2	Bloom Week 3	Bloom Week 4	Bloom Week 5	Bloom Week 6	Bloom Week 7	Bloom Week 8	Bloom Week 9
MASTER A	2ml ▶▶gal	3ml ▶▶gal	4ml ▶▶gal	4ml ▶▶gal	5ml ▶▶gal	6ml ▶▶gal	7ml ▶▶gal	8ml ▶▶gal	9ml ▶▶gal	11ml ▶▶gal	11ml ▶▶gal	8ml ▶▶gal	Flush
MASTER B	2ml ▶▶gal	3ml ▶▶gal	4ml ▶▶gal	4ml ▶▶gal	5ml ▶▶gal	6ml ▶▶gal	7ml ▶▶gal	8ml ▶▶gal	9ml ▶▶gal	11ml ▶▶gal	11ml ▶▶gal	8ml ▶▶gal	Flush
VERDE	2ml ▶▶gal	3ml ▶▶gal	4ml ▶▶gal	4ml ▶▶gal	4ml ▶▶gal	3ml ▶▶gal							Flush
MAYAN MICROZYME	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	3ml ▶▶gal	2ml ▶▶gal							Flush
SEA CAL	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal		3ml ▶▶gal		3ml ▶▶gal					Flush
SEA MAG					3ml ▶▶gal		3ml ▶▶gal		3ml ▶▶gal	3ml ▶▶gal	3ml ▶▶gal	3ml ▶▶gal	Flush
GINORMOUS						2ml ▶▶gal	2ml ▶▶gal	3ml ▶▶gal	3ml ▶▶gal				Flush
FLAVORFUL	1ml ▶▶gal	1ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	Flush
HUM-BOLT	1ml ▶▶gal	1ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	Flush
BIG UP POWDER					1/2tsp ▶▶					2sp ▶▶gal	2sp ▶▶gal	1.5tsp ▶▶gal	Flush
HUMBOLDT HONEY ES					2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	5ml ▶▶gal	10ml ▶▶gal	15ml ▶▶gal	15ml ▶▶gal	15ml ▶▶gal	15ml ▶▶gal
PROZYME	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	5ml ▶▶gal	10ml ▶▶gal	10ml ▶▶gal	15ml ▶▶gal	15ml ▶▶gal	20ml ▶▶gal	20ml ▶▶gal	20ml ▶▶gal	10ml ▶▶gal	Flush
HUMBOLDT ROOTS	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal	2ml ▶▶gal						Flush
MYCOMADNESS	1/2tsp ▶▶gal	1/2tsp ▶▶gal	1/2tsp ▶▶gal	1/2tsp ▶▶gal	1/2tsp ▶▶	1/2tsp ▶▶							Flush
PPM	500	640	750	750	825	1100	1250	1475	1600	1800	1800	1350	Flush

Always use un-chlorinated water, maintain pH levels between 5.5-7.2 and check reservoir after adding all nutrients. Due to our use of multiple chelating agents in our formulas, the elements within our products can be absorbed by plants in a wider range of pH levels.

Oxygenate water before and during application. To prevent nutrient settling, always use a pump at the bottom of the reservoir to continually agitate and mix the nutrient water during application. Research and Development conducted using water obtained by reverse osmosis containing near 0 PPM.

When using re-circulating (ebb&flow) systems, please refer to our website for feeding schedules specific to that application.

