



MASTER A & B — Moderate Feeding Schedule (9 -week Bloom)

USEFUL CONVERSIONS		
1 teaspoon	=	5 ml
1 Tablespoon	=	15 ml
1 ounce	=	30 ml
1 quart	=	946 ml
1 gallon	=	3.785 L
1 gallon	=	128 oz
*1 teaspoon (powder)	=	2 1/3 grams (approx.)

	Grow Week 1	Grow Week 2	Grow Week 3	Grow Week 4	Bloom Week 1	Bloom Week 2	Bloom Week 3	Bloom Week 4	Bloom Week 5	Bloom Week 6	Bloom Week 7	Bloom Week 8	Bloom Week 9
MASTER A	2ml » gal	3ml » gal	4ml » gal	4ml » gal	5ml » gal	6ml » gal	7ml » gal	8ml » gal	9ml » gal	10ml » gal	10ml » gal	8ml » gal	Flush
MASTER B	2ml » gal	3ml » gal	4ml » gal	4ml » gal	5ml » gal	6ml » gal	7ml » gal	8ml » gal	9ml » gal	10ml » gal	10ml » gal	8ml » gal	Flush
VERDE	2ml » gal	3ml » gal	4ml » gal	4ml » gal	2ml » gal	2ml » gal							Flush
MAYAN MICROZYME	2ml » gal	2ml » gal	2ml » gal	2ml » gal	2ml » gal	2ml » gal							Flush
SEA CAL	2ml » gal	2ml » gal	2ml » gal	2ml » gal	3ml » gal		3ml » gal						Flush
SEA MAG						3ml » gal		3ml » gal	2ml » gal	2ml » gal	2ml » gal	2ml » gal	Flush
GINORMOUS						1ml » gal	1ml » gal	2ml » gal	2ml » gal				Flush
FLAVORFUL	1ml » gal	1ml » gal	2ml » gal	2ml » gal	2ml » gal	5ml » gal	5ml » gal	5ml » gal	5ml » gal	5ml » gal	5ml » gal	5ml » gal	Flush
HUM-BOLT	1ml » gal	1ml » gal	2ml » gal	2ml » gal	2ml » gal	5ml » gal	5ml » gal	5ml » gal	5ml » gal	5ml » gal	5ml » gal	5ml » gal	Flush
BIG UP POWDER					1/2tsp »				2tsp » gal	2tsp » gal	1.5tsp »		Flush
HUMBOLDT HONEY ES					2ml » gal	2ml » gal	2ml » gal	5ml » gal	10ml » gal	15ml » gal	15ml » gal	15ml » gal	15ml » gal
PROZYME	5ml » gal	5ml » gal	5ml » gal	5ml » gal	10ml » gal	10ml » gal	15ml » gal	15ml » gal	20ml » gal	20ml » gal	20ml » gal	10ml » gal	Flush
HUMBOLDT ROOTS	2ml » gal	2ml » gal	2ml » gal	2ml » gal	2ml » gal	2ml » gal	2ml » gal						Flush
MYCOMADNESS	1/2tsp » gal	1/2tsp » gal	1/2tsp » gal	1/2tsp » gal	1/2tsp » gal	1/2tsp » gal							Flush
PPM	500	640	750	750	825	1000	1150	1375	1475	1600	1600	1300	

Always use un-chlorinated water, maintain pH levels between 5.5-6.5 and check reservoir after adding all nutrients. Oxygenate water before and during application. To prevent nutrient settling, always use a pump at the bottom of the reservoir to continually agitate and mix the nutrient water during application. Research and Development conducted using water obtained by reverse osmosis containing near 0 PPM.

The Master A&B complete feeding schedule works best in drain to waste systems. If using a re-circulating (ebb & flow) system use Honey Hydrocarbs instead of Honey ES. Refer to the Hydroponic feeding charts for correct Hydrocarb measurements. If using a ebb & flow system, every 5-7 days drain your reservoir then clean your pump and equipment. Add Myco Madness to the reservoir 3 days prior to cleaning the system.

